



# Cryogenic Test Dewer

## 4K and 12K Models

### KEY FEATURES


- Flexible Configuration
- Removable Sideplates
- 66 Pin DC Bias Connector
- Cart Included

### PERFORMANCE FEATURES

- 4K @ 1 Watt
- 12K @ 1.5 Watt
- 4K Cool Down=3 Hours
- 12K Cool Down=5 Hours

### APPLICATIONS

- ✓ Radio Astronomy Receivers
- ✓ Cryogenic Component Testing
- ✓ Research & Development
- ✓ Quantum Computing





## Description

CMT is manufacturing cryogenic component test dewers. These dewers are optimum for testing cryogenic components at either 4K or 12K, depending upon the model. The dewer design offers flexibility to configure the cold plate for testing of almost all types of cryogenic components. The dewer is configured with 12 removable side plates that can be quickly modified to add RF connections. The dewer comes with a 66-pin hermetic DC connector that can be used for temperature sensors and DC wiring to the internal components. Two KF25 vacuum ports allow separate ports for Vacuum pump and gauges to be connected to the dewer. The dewer comes mounted in a mobile cart. CMT can provide engineering assistance to customize the inside of the dewer for your applications.



# Features Include

- 4K Dewer no load temp: 1<sup>st</sup> Stage = 29 K, 2<sup>nd</sup> Stage = 3.5 K
- 12K Dewer no load temp: 1<sup>st</sup> Stage = 56 K, 2<sup>nd</sup> Stage = 11.8 K
- 4K Dewer no load cool down time: 1<sup>st</sup> Stage = 3 hours, 2<sup>nd</sup> Stage = 1.5 Hours
- 12K Dewer no load cool down time: 1<sup>st</sup> Stage = 5 hours, 2<sup>nd</sup> Stage = 4 Hours
- 4K Dewer load: 1<sup>st</sup> Stage = 1 Watt, 2<sup>nd</sup> Stage = 40 Watt
- 12K Dewer load: 1<sup>st</sup> Stage = 1.5 Watt, 2<sup>nd</sup> Stage = 40 Watt



## 4K/12K Dewer




# Thermal Performance 4K Dewer



# Thermal Performance 12K Dewer





## Contact Information

### Sales & Quotes

**Name** Ms. Denise L. Smith  
**Email Address** [Denise@CosmicMicroTech.com](mailto:Denise@CosmicMicroTech.com)  
**Phone Number** +1 (424) 456-7722  
**Address** 15703 Condon Avenue, Unit C4, Lawndale, CA 90260, USA

### Technical Questions

**Name** Mr. Stephen Smith  
**Email Address** [Steve@CosmicMicroTech.com](mailto:Steve@CosmicMicroTech.com)  
**Phone Number** +1 (424) 456-7744  
**Address** 15703 Condon Avenue, Unit C4, Lawndale, CA 90260, USA